

MATERIAL SAFETY DATA SHEET Eucalyptus Deodoriser

Unit 6 Oakdale Trading Estate Ham Lane Kingswinford DY6 7JH

Telephone Number: 01562 755884 Emergency Number: 07785 337988

Registered No: 8088650 info@chemi-kal.co.uk

Section 1: Identification of the substance/mixture and of the company/undertaking Version 4: 28/10/2021

1.1. Product identifier Product name: Eucalyptus Deodoriser Product code: EUC

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet Company name: Worcestershire Chemicals Ltd

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319 Most important adverse effects: Causes serious eye irritation. 2.2. Label elements Label elements: Hazard statements: H319: Causes serious eye irritation. Signal words: Warning Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P264: Wash hands thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+351+338: IF IN EYES: Rinse cautiously with water f or several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists: Get medical attention

2.3. Other hazardsPBT:This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures Hazardous ingredients: PROPAN-2-OL EINECS CAS PBT / WEL CLP Classification Percent 200-661-7 67-63-0 -Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336 1-10% Section 4: First aid measures

4.1. Description of first aid measuresSkin contact:Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.Eye contact:Bathe the eye with running water for 15 minutes. Consult a doctor.Ingestion:

Wash out mouth with water. Consult a doctor. Inhalation:

Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed
Skin contact:
There may be irritation and redness at the site of
contact.
Eye contact:
There may be irritation and redness. The eyes may water profusely.
Ingestion:
There may be soreness and redness of the mouth and
throat.
Inhalation:
There may be irritation of the throat with a feeling of tightness in the chest. Exposure may
cause coughing or wheezing.
Delayed / immediate effects:
Immediate effects can be expected after short-term
exposure.

4.3. Indication of any immediate medical attention and special treatment neededImmediate / special treatment:Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing mediaExtinguishing media:Suitable extinguishing media for the surrounding fir e should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

5.3. Advice for fire-fightersAdvice for fire-fighters:Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
Personal precautions:
Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. 6.2. Environmental precautionsEnvironmental precautions:Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning upClean-up procedures:Absorb into dry earth or sand. Transfer to a closable, labelled salvage container fordisposal by an appropriate method.

6.4. Reference to other sections Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handlingHandling requirements:Avoid direct contact with the substance. Ensure thereis sufficient ventilation of the area.Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilitiesStorage conditions:Store in a cool, well-ventilated area. Keep containertightly closed. The floor of thestorage room must be impermeable to prevent the escape of liquids.

7.3. Specific end use(s) Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters Hazardous ingredients: PROPAN-2-OL Respirable dust Workplace exposure limits: State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 999 mg/m3 1250 mg/m3 --DNEL/PNEC Values DNEL / PNEC No data available

8.2. Exposure controls
Engineering measures:
Ensure there is sufficient ventilation of the area.
The floor of the storage room must be
impermeable to prevent the escape of liquids.
Respiratory protection:
Self-contained breathing apparatus must be available
in case of emergency.
Hand protection:
Protective gloves.
Eye protection:
Safety glasses. Ensure eye bath is to hand.
Skin protection:
Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties State: Liquid Colour: Clear Odour: Pleasant **Evaporation rate:** Moderate Solubility in water: Miscible in all proportions Viscosity: Non-viscous Boiling point/range°C: >35 Flash point°C: >93 9.2. Other information Other information: No data available. Section 10: Stability and reactivity

10.1. ReactivityReactivity:Stable under recommended transport or storage conditions.

10.2. Chemical stability Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid: heat

10.5. Incompatible materials

10.6. Hazardous decomposition products In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects Hazardous ingredients:

PROPAN-2-OL IVN RAT LD50 1088 mg/kg ORL MUS LD50 3600 mg/kg ORL RAT LD50 5045 mg/kg SCU MUS LDLO 6 gm/kg Relevant hazards for substance: Hazard Route Basis Serious eye damage/irritation OPT Hazardous: calculated Symptoms / routes of exposure Skin contact: There may be irritation and redness at the site of contact. Eye contact: There may be irritation and redness. The eyes may water profusely. Ingestion: There may be soreness and redness of the mouth and throat. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing. Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity Ecotoxicity values: No data available.

12.2 Persistence and degradability: Not biodegradable.12.3. Bioaccumulative potential

12.4. Mobility in soilMobility:Readily absorbed into soil.

12.5. Results of PBT and vPvB assessmentPBT identification:This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effectsOther adverse effects:Toxic to aquatic organisms. Toxic to soil organisms

Section 13: Disposal considerations

13.1. Waste treatment methods
Disposal operations:
Transfer to a suitable container and arrange for collection by specialised disposal company.
NB:
The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. * indicates text in the SDS which has changed since t he last revision. Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.